



PERFECT CARPET TIMELESS FLOORING SOLUTIONS



KALYANAM FELT

THE PRODUCT

The Oculus range of carpets sets high standards in quality, durability and decor, Manufactured in a state of the art. Oculus non woven carpets meet international standards of fibre bonding & stain resistance, thermal insulation and antistatic properties. These carpets offer unique features for excellent fibre bonding & processing for very high resistance to abrasion. These are available in a wide range of assorted shades. Every Oculus product is produced for an addition to our extensive stock range for one-off carpet to meet customer's individual needs.

INSTALLATION

For best results, installation of carpets should be done by a professional. Carpets should always be laid on an surface which is clean and dry to ensure long life. Stretch the carpet fully and apply the adhesive evenly throughout, during installation, Adhesive, evenly spread, on the entire carpet is recommended. Overlap the carpets to be joined and then splice to achieve a perfect joint.




MAINTENANCE

Though carpet brush can be used, use of vacuum cleaner is recommended. Prompt stain removal is important. For liquid, use blotting paper or absorbent cloth. Use shampoo or non alkaline liquid detergent for removing water based stains. Semi solids and greasy substances should scraped out with the help of a knife cleaned with cleaning solvents.









SHADE VARIANCE

Due to inherent limitation of dyeing techniques, colours may vary slightly lot. Use carpet rolls the same lot in one area.

Swatches are for shade references only not for quality. GOLDEN offers best value for money.












GOOD FOOD IS GOOD MOOD













M.GREY




BLACK



APPLICATIONS




Hotel



Party Plot



Office



Product Display



House



School



Theater



Hospital

SPECIFICATIONS	
Construction	Structured N/L Punch Non Woven
Weight (Gram/Sqmtr)	400 / 500 / 600 $\pm 5\%$
Backing	Latex Coating
Width/LENGTH	5 or 10ft / 45meter

Specifications are subject to change due to technical improvements.



Head Office:

Survey No 169 P1, P2, P3, P4,
Plot No 4 Ganga Plaza, Shop No 2
At Pipli Ta Morbi Di Morbi 363642

Branch Office :

Survey No 496/1, Shed No-8, Marutinandan
Estate, On Canal Taipur Road,
Village Changodar Taluko Sanand District
Ahmedabad, Pin code 382213

Phone : +91 95370 85000

Website : www.oculusimpex.com

Email : oculusimpex@gmail.com